

**MONOCLONAL ANTIBODY TO
HUMAN PROTEIN C (PC)
clone PC50**



Catalog nr	HM2149 (lot number and expiry date are indicated on the label)										
Description	<p>Monoclonal antibody PC50 is specific for human Protein C (PC), an important regulator of the blood coagulation system. The anticoagulant PC is converted to activated protein C (APC) by the thrombomodulin (TM)–thrombin complex on the phospholipid surface of endothelial cells, monocytes, and platelets. This process is enhanced in the presence of the endothelial protein C receptor (EPCR). In addition to its regulatory function in the blood coagulation system, studies indicate important roles for APC in inflammatory processes. The administration of APC prevents lethal effects of Escherichia coli–associated sepsis in experimental animal models and appears effective for the treatment of patients with meningococemia or acquired PC deficiency. Treatment with APC improves the clinical outcome of patients with sepsis. The anti-inflammatory activity of APC depends on its ability to suppress the secretion of cytokines as tumor necrosis factor-alpha by inflammatory cells, the activation and extravasation of leukocytes and the expression and function of adhesion molecules. APC may also suppress the expression of growth factors and members of nuclear factor-kB (NF-kB) family of transcription factors. The monoclonal antibody PC50 is reactive with human protein C and recognizes the heavy chain of the molecule.</p>										
Species	Rat IgG _{2a}										
Formulation	1 ml (100 µg/ml) 0.2 µm filtered antibody solution in PBS, containing 0.02% sodium azide and 0.1% bovine serum albumin.										
Application	The monoclonal antibody PC50 is useful for Western blot and immuno assays.										
Use	For Western blotting dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:10.										
Storage and stability	Product should be stored at 4°C. Under recommended storage conditions, product is stable for one year.										
Precautions	For research use only. Not for use in or on humans or animals or for diagnostics. It is the responsibility of the user to comply with all local/state and Federal rules in the use of this product. Hycult Biotech is not responsible for any patent infringements that might result with the use of or derivation of this product.										
Also available	<table><tr><td>HM2145</td><td>Monoclonal antibody against Human EPCR, clone RCR-252</td></tr><tr><td>HM2146</td><td>Monoclonal antibody against Human Thrombomodulin, clone RTM96</td></tr><tr><td>HM2148</td><td>Monoclonal antibody against Human Protein S (PS), clone PS7</td></tr><tr><td>HM2150</td><td>Monoclonal antibody against Human Protein C (PC), clone PC98</td></tr><tr><td>HM2151</td><td>Monoclonal antibody against Human Activated Protein C (APC), clone PC107</td></tr></table>	HM2145	Monoclonal antibody against Human EPCR, clone RCR-252	HM2146	Monoclonal antibody against Human Thrombomodulin, clone RTM96	HM2148	Monoclonal antibody against Human Protein S (PS), clone PS7	HM2150	Monoclonal antibody against Human Protein C (PC), clone PC98	HM2151	Monoclonal antibody against Human Activated Protein C (APC), clone PC107
HM2145	Monoclonal antibody against Human EPCR, clone RCR-252										
HM2146	Monoclonal antibody against Human Thrombomodulin, clone RTM96										
HM2148	Monoclonal antibody against Human Protein S (PS), clone PS7										
HM2150	Monoclonal antibody against Human Protein C (PC), clone PC98										
HM2151	Monoclonal antibody against Human Activated Protein C (APC), clone PC107										